

[Groups Home](#) | [Help](#) | [Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

IP address "private network" overlap

[Search](#)[Advanced Groups Search](#)  
[Preferences](#)Members: [Sign in](#)New users: [Join](#)**Searched all groups**

Results 1 - 10 of 90 for IP address "private network" overlap (0.11 seconds)

**Sorted by relevance** [Sort by date](#)☒ [Groups Alerts](#)[Create a new group](#)[About Google Groups](#)**NAT Public/Private IP's**... with a subnet mask of 255.255.255.0 for the **private Network**. ... This is known as illegalor **overlapping IP** addressing ... every host from the 1.0.0.0 **address** would be ...[microsoft.public.win2000.ras\\_routing](#) - Jun 8 2001, 3:47 am by Thomas - 15 messages - 4 authors**domain or DNS overlapping?**... Server and were going to change the domain name on the **private network** to private ...zone, a www record, and give it the actual external **IP address** OR delegate a ...[microsoft.public.win2000.dns](#) - May 20 2003, 10:22 pm by Ace Fekay [MVP] - 3 messages - 3 authors**VPN network address overlap**... it's routing decision purely on ANDing the **IP address** and the ... Both offices use thesame **private network address**. ... using a VPN as there is an **overlap** with some ...[lucky.openbsd.misc](#) - Dec 14 2004, 6:52 pm by Rhea Heuermann - 4 messages - 4 authors**Alcatel 1000 IP address questions**... In general, you can set up your own **private network** using any of several **address**

ranges that ... you should put them behind a NAT or IP masquerading computer. ...

[comp.dcom.xdsl](#) - Sep 23 1999, 5:54 pm by Rod Smith - 3 messages - 3 authors**IP ranges ?**... Across NAT: In many cases, a **private network** (such as a ... across the backbone, thusrequiring large **address** tables, and ... or using a globally unique **IP range** for ...[microsoft.public.backoffice.smallbiz2000](#) - Apr 14 2001, 12:12 pm by Jeff Middleton [SBS-MVP] - 9 messages - 5 authors**Can HP9000 servers on 11X have two NICs with same subnet?**... In other word, a potential **overlapping** subnet on lan0 ... bind to a specific local **IP address** when they ... static routes for the (presumably small) **private network**. ...[comp.sys.hp.hpux](#) - Nov 28 2001, 1:57 pm by Rick Jones - 2 messages - 2 authors**Windows Messaging & TCP/IP**... **IP addresses** in one of the **private network** ranges (see ... and the one for static **IP**should not **overlap**. ... There are so called private **IP address** spaces, that will ...[comp.os.ms-windows.nt.admin.networking](#) - Jul 22 1998, 10:59 am by Carl Cox - 3 messages - 3 authors

**alt.internet.wireless** - Jul 27 2005, 10:17 pm by Duane Arnold - 118 messages - 8 authors

**microsoft.public.backoffice.smallbiz2000** - Mar 9 2004, 7:38 am by Jim Behning - 4 messages - 2 authors

**ithaca.general** - Nov 8 1998, 12:41 am by Homer Wilson Smith - 29 messages - 8 authors

Googooooooooooooole ▶

Result Page: 1 2 3 4 5 6 7 8 9 Next

[Google Home](#) - [Terms of Service](#) - [Privacy Policy](#)

<http://groups.google.com/groups?q=IP+address+%22private+network%22+overl...> 2/24/06

[Groups Home](#) | [Help](#) | [Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

IP address "private network" overlap

[Search](#)[Advanced Groups Search](#)  
[Preferences](#)Members: [Sign in](#)New users: [Join](#)☒ [Groups Alerts](#)[Create a new group](#)[About Google Groups](#)**Searched all groups**

Results 11 - 20 of 90 for IP address "private network" overlap (0.16 seconds)

**Sorted by relevance** [Sort by date](#)**A visitor's 802.11b network**

... keeps the visitors out of the **address** range of ... wireless clients will not know the IP addresses of any of the machines on your **private network**, thus isolating ...  
[alt.internet.wireless](#) - Sep 30 2001, 5:44 pm by Hal Rogers - 2 messages - 2 authors

**Networks with same address**

... wan between affiliates that all use **private network** numbers, and several have **overlap**. ...  
do a DNS lookup for the internal translated IP address rather than ...  
[comp.security.firewalls](#) - Feb 11 1998, 3:24 am by Dean Carpenter - 12 messages - 7 authors

**DNS and NAT Issues**

... a Win2k DNS server on our **private network**, created a ... **private address** and the registered **address**, and ensured ... translates the resource records (IP addresses) in ...  
[comp.dcom.sys.cisco](#) - Nov 15 2002, 12:06 am by Jeff Gilbert - 6 messages - 3 authors

**ISA 2000 acces din exterior**

... the LAT manually, specifying an **overlapping** range of ... the LAT in a VPN Virtual **private network** (VPN) connections ... you specify the following IP address ranges: a ...  
[microsoft.public.ro.itspecialist](#) - Apr 2 2004, 1:51 am by Ovidiu Pisma[GeCAD] - 7 messages - 3 authors

**Interaction between ipfw, IPSEC and natd**

... which are IPSEC-tunnelled from one **private network** to another ... via xxxx" where xxxx is the IP address of the ... been discussed before, so sorry for the **overlap**...  
[sol.lists.freebsd.security](#) - Apr 16 2001, 5:29 am by B.Cand...@pobox.com - 8 messages - 6 authors

**Ethernet configuration question?**

... now, I have used Masquerading and forwarding from a **private network**, 192.168.0 ... I need to have the two IP address of the ... eth0 and eth1 so that the IP/Netmask don ...  
[alt.os.linux](#) - May 24 2000, 3:41 am by Thomas T. Veldhouse - 8 messages - 5 authors

**Smothwall with Netgear Router on BlueYonder**

... can still use DHCP to obtain an IP address from blueyonder ... DHCP server to dole out addresses to the **private network**. ... small range that doesn't **overlap** with the ...  
[alt.os.linux.smoothwall](#) - Jan 14 2002, 8:08 am by jsmith - 4 messages - 2 authors

**ICS IP clashes with VPN IP**

... server at your office is assigning an **IP address** that is ... That will tell you the **IP** addresses of all your ... Blake I have a **private network** at home that is sharing ... [microsoft.public.win2000.ras\\_routing](#) - Mar 22 2000, 5:04 am by Kim Letkeman - 7 messages - 4 authors

**IP configuration for DSL router/VPN server**

... to DSL, the other on an internal **private network** I have ... Do I need to include this **address** in the DNS ... internal clients and also auto-assigning **IP** addresses for ... [microsoft.public.win2000.networking](#) - Jun 25 2001, 11:35 am by daniel - 1 message - 1 author

**Routing TCP/IP**

... On a **private network** I would recommend using separate class-C addresses for each part of the network from the 'non-Internet' range (168.192.xx I ... **address** range ... [vmsnet.networks.tcp-ip.ucx](#) - Jun 29 1998, 10:44 pm by John Briggs - 3 messages - 3 authors

New! Get the latest messages on [IP address "private network" overlap](#) emailed to you with Google Alerts.



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

IP address "private network" overlap

[Google Home](#) - [Terms of Service](#) - [Privacy Policy](#)

©2006 Google

[Groups Home](#) | [Help](#) | [Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

IP address "private network" overlap

[Search](#)[Advanced Groups Search](#)  
[Preferences](#)Members: [Sign in](#)New users: [Join](#)**Searched all groups**

Results 21 - 30 of 90 for IP address "private network" overlap (0.12 seconds)

**Sorted by relevance** [Sort by date](#)☒ [Groups Alerts](#)[Create a new group](#)[About Google Groups](#)OT: nntp scanning

... any[2] the RFC1918 (IIRC) style **private network** addresses as ... Two **overlapping** examples spring to mind: the use ... there is probably only 1 **IP address** that should ... [demon.service](#) - Apr 13 2000, 11:47 pm by Andrew Bangs - 54 messages - 24 authors

help with vpn.. i think :)

what id like, is to have one big **private network**, so my ... lots of tricks by running ethernet-over-IP, but it ... If you can re-number your private **address** ranges to ... [comp.dcom.vpn](#) - Jul 21 2002, 10:26 pm by Stephen J. Bevan - 3 messages - 3 authors

can't access the network with vmware2.0

... normally) I have tcp/ip installed in ... 255.255.255.240 ==> it's a **private network** behind masquerading ... gateway = 192.168.143.1 ==> **address** masquerading firewall ... [vmware.for-linux.misc](#) - Aug 28 2000, 7:36 pm by Petr Vandrovec - 2 messages - 2 authors

securemote behind adsl

... You have **overlapping IP** networks between the SecuRemote LAN ... Encryption Domain overlaps the local PC **address**. ... settings to a different **private network** that is ... [cp.products.securemote](#) - Jul 24 2002, 2:11 pm by JG - 3 messages - 2 authors

Those Two BCM's

... route 002 is a **private network** set **private network** DN length ... switch) make sure dn ranges do not **overlap** (ie 2221 ... 3821 BCM 2) do the same with **IP address** if one ... [comp.dcom.sys.nortel](#) - Nov 4 2003, 9:03 pm by X-Bar None - 7 messages - 4 authors

ISDN connection errors for VoIP

... & 0x81 means that 81 - From the **private network** near the ... interface Serial3/0:15 no **ip address** no logging ... switch-type primary-net5 isdn **overlap**-receiving isdn ... [comp.dcom.sys.cisco](#) - Feb 25 2002, 4:36 pm by Micos Attile - 5 messages - 4 authors

Local Intranet Domain Name???

... I also have a server on our **private network** that our ... main domain and add a 192.168.xy **address** to this ... Internet DNS servers will return the private IP to access ... [microsoft.public.win2000.dns](#) - Jul 12 2004, 6:30 pm by Herb Martin - 18 messages - 5 authors

PIX 501 config question

... There is a non-trivial **overlap** between Cisco IOS ... me they have set up a **private network** for my use ... outside\_access\_in permit udp any any **ip address** outside 212.130 ... comp.security.firewalls - Feb 2, 9:17 pm by Walter Roberson - 2 messages - 2 authors

I can not see/ping internal services - what am I missing ?

... if you try to ping your **private network** - do the ... tunnel **address** and your VPN client **address pool overlapping**. ... gateway as your VPN client WS **IP address** and the ... novell.support.bordermanager.vpn - May 27 2005, 12:45 pm by W. Prindl - 11 messages - 2 authors

Computer Probes

... doing, which is setting up virtual **overlapping** subnets ... a gateway with a different **IP address** on the ... based router that assigns a **private network address** to even ... comp.dcom.xdsl - Mar 1 2000, 2:41 am by John Navas - 18 messages - 7 authors

New! Get the latest messages on IP address "private network" overlap emailed to you with Google Alerts.



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

IP address "private network" overlap

[Google Home](#) - [Terms of Service](#) - [Privacy Policy](#)

©2006 Google

[Groups Home](#) | [Help](#) | [Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

IP address "private network" overlap

[Search](#)[Advanced Groups Search](#)  
[Preferences](#)Members: [Sign in](#)New users: [Join](#)☒ [Groups Alerts](#)[Create a new group](#)[About Google Groups](#)**Searched all groups**

Results 31 - 40 of 90 for IP address "private network" overlap (0.23 seconds)

[Sorted by relevance](#) [Sort by date](#)**rfc1631.txt The IP Network Address Translator (NAT)**... We call such a **private network** a backbone-partitioned stub. ... box will set aside oneglobal **address** for tunneling ... will encapsulate the packet in an IP header with ... **comp.doc** - Dec 6 1994, 4:44 pm by comp.doc autoposter - 1 message - 1 author**rfc1631 The IP Network Address Translator (NAT)**... We call such a **private network** a backbone-partitioned stub. ... box will set aside oneglobal **address** for tunneling ... will encapsulate the packet in an IP header with ... **comp.doc** - Oct 20 1994, 2:05 pm by comp.doc autoposter - 1 message - 1 author**NT with 3 interfaces.**... Make sure you're using legitimate **Private Network** addressing as laid ... you'll be **overlapping** with a legitimate **address** space owned ... Interface le1 (ip=193.123.231.2 ...**cp.products.firewall-1** - Aug 17 2000, 2:40 pm by John T. Chapman - 2 messages - 2 authors**Can DNS tricks do what an ISA Proxy server usually would? ...**No, not precisely but there is some **overlap** and using ... to use DNS to split 1 real **IP address** to 2 ... 2 different email servers all on an internal **private network**. ...**microsoft.public.windows.server.dns** - Jun 23 2005, 1:07 pm by Herb Martin - 4 messages - 2 authors**Overlapping 2 nets with different masks**... It has an **IP address** 192.168.29.3. ... Another solution for me is to buy a NAT-routerthat makes me another local **private network** like 192.168.51.0/24 under ...**comp.os.ms-windows.networking.tcp-ip** - Jan 8 2004, 8:47 am by Lars Edvard Fodnes - 1 message - 1 author**SUMMARY PAPER: An Architectural Overview of UNIX Network Security**

... PUBLIC (or) NON-PRIVATE NETWORK ACCESS Y ... Some of the functionality of these tools

**overlap**. ... based on several criteria such as: source **ip address**, destination **ip** ...**comp.security.misc** - Sep 20 1992, 11:25 am by Robert B. Reinhardt - 1 message - 1 author**Wireless Internet**... We are drowning in ill-defined, **overlapping** jargon already ... is absolutely no mentionof **IP address** anywhere in ... act of connecting to a **private network** through an ...**rec.outdoors.rv-travel** - Jan 1 2003, 5:33 pm by Roadwarrior - 323 messages - 42 authors

yet another question about multiple computers using single ...

... definitive word on proxies vs network **address** translation ... the internal users on the **private network** to attack ... NAT-based policy measures include **IP** filtering and ... [comp.dcom.modems.cable](#) - Jan 19 1998, 9:11 pm by George Marshall - 10 messages - 7 authors

Win98 dial in to RedHat Internet gateway...

... We call such a **private network** a backbone-partitioned stub. ... box will set aside one global **address** for tunneling ... will encapsulate the packet in an **IP** header with ... [linux.redhat.ppp](#) - Sep 1 2001, 10:55 pm by Chet Seligman - 5 messages - 5 authors

NAT workaround (newbie)

... 123.456.789.6 I try make eth0: **ip address** 123.456.789.6 ... I'm told that the two are **overlapping**: 123.456.789.0 ... do NAT to masquerade for a **private network**, what **IP** ... [comp.dcom.sys.cisco](#) - Oct 26 2002, 3:16 pm by CCIE 8122 - 12 messages - 3 authors

New! Get the latest messages on **IP address "private network" overlap** emailed to you with Google Alerts.



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

[Google Home](#) - [Terms of Service](#) - [Privacy Policy](#)

©2006 Google



[Groups Home](#) | [Help](#) | [Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

IP address "private network" overlap

[Search](#)[Advanced Groups Search](#)  
[Preferences](#)Members: [Sign in](#)New users: [Join](#)**Searched all groups**Results **41 - 50** of 90 for IP address "private network" overlap (0.13 seconds)[Sorted by relevance](#) [Sort by date](#)☒ [Groups Alerts](#)[Create a new group](#)[About Google Groups](#)**NAT over 2 hops (newbie)?**... 2) PAT Port Address Translation; which will translate ... The first is to allow a **private****network** to access ... is one, access lists another, **IP overlap**, port overlap. ...[comp.dcom.sys.cisco](#) - Jan 1 2001, 6:10 pm by John Hardman - 10 messages - 4 authors**test**... that may allow an adversary to "bounce-scan" a **private network**. ... to deliver a messageto an **address** with the ... a connection to the port and **IP address** that is ...[microsoft.test](#) - Aug 27 2003, 11:36 am by MagicWorm - 23 messages - 15 authors**Linux as a GW/Router**... on your **private network** (eth1) an **address** to which it ... should be the NIC on PC1 facingthe **private network**. ... In otherwords, are there some **IP addresses** that are ...[comp.os.linux.networking](#) - Feb 28 2001, 4:08 pm by John Gill - 6 messages - 3 authors**Multiple domains and Windows Xp**... All the different LANs use DHCP (some with **overlapping private network IP address**

ranges eg 192.168.0.x) so I can't hardcode anything! Can anyone help? ...

[microsoft.public.windowsxp.network\\_web](#) - Aug 21 2002, 6:50 am by Glyn - 3 messages - 2 authors**Private IP to Private IP thru VPN**... router, I can't ping anything else on my **private network**. ... in our enterprise DNS server(live **address** but not ... process of changing over our internal **IP'S** in the ...[novell.support.internet.bordermanager.vpn-services](#) - Feb 14 2002, 10:54 am by Oliver Foulkes - 17 messages - 3 authors**Ethernet network wiring ?s**... By disabling "Distribute **IP addresses**" the WiFi attached Macs ... router or Macs 3 and4. **Private network** addresses are ... be assigned the same **private address** as Mac ...[comp.sys.mac.hardware.misc](#) - Jan 1, 7:45 am by Bob Harris - 14 messages - 5 authors**Linux IPCHAINS-HOWTO--v1.0.7, 12 March 1999**... which has a large amount of **overlap** with this HOWTO. ... Example: Allowing web accessfrom **private network** to the ... is assigned according to the **IP address** block you ...[alt.hackers.malicious](#) - May 28 2000, 10:33 pm by velocity - 1 message - 1 author

**freeswan tunnel and nat source address**

... and use that to map every incoming and outgoing **address** to a new ... from any host to

any host within the **private network**, even if the **\_real\_ IP** addresses of ...

**comp.os.linux.security** - Nov 18 2002, 6:10 am by D.C. van Moolenbroek - 3 messages - 3 authors

**(Revised): SUMMARY PAPER: An Arch. Overview of UNIX Net. Security**

... PUBLIC (or) NON-PRIVATE NETWORK ACCESS Y ... Some of the functionality of these tools

**overlap**. ... based on several criteria such as: source **ip address**, destination **ip** ...

**alt.security** - Oct 14 1992, 12:58 pm by Robert B. Reinhardt - 1 message - 1 author

**(Version 3): SUMMARY PAPER: An Arch. Overview of UNIX Net. ...**

... PUBLIC (or) NON-PRIVATE NETWORK ACCESS Y ... Some of the functionality of these tools

**overlap**. ... based on several criteria such as: source **ip address**, destination **ip** ...

**comp.security.misc** - Dec 15 1992, 8:40 pm by Robert B. Reinhardt - 1 message - 1 author

New! Get the latest messages on **IP address "private network" overlap** emailed to you with Google Alerts.



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

IP address "private network" overlap

[Google Home](#) - [Terms of Service](#) - [Privacy Policy](#)

©2006 Google

[Groups Home](#) | [Help](#) | [Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

IP address "private network" overlap

Search

[Advanced Groups Search](#)  
[Preferences](#)Members: [Sign in](#)New users: [Join](#)**Searched all groups**Results **51 - 60** of 90 for IP address "private network" overlap (0.16 seconds)**Sorted by relevance** [Sort by date](#)☒ [Groups Alerts](#)[Create a new group](#)[About Google Groups](#)**Security Doc Sought Part 1/2**

... PUBLIC (or) NON-PRIVATE NETWORK ACCESS Y ... Some of the functionality of these tools

**overlap.** ... based on several criteria such as: source **ip address**, destination **ip** ...**comp.security.misc** - Jan 15 1993, 7:11 pm by x...@levels.unisa.edu.au - 1

message - 1 author

**VPN thru openbsd firewall**... VPN thru openbsd firewall He needs a public IP. ... **private network** numbering doesn't**overlap** their **private network**. ... responding to his non-routable **address** directly ...**lucky.openbsd.misc** - Jul 12 2001, 11:22 am by Victor Richardson - 10 messages - 6 authors**freebsd-questions Digest, Vol 93, Issue 24**... Having problems with user PPP to **private network** in 5.4 ... DNS server listening on adynamic **IP address** is a ... B] (II) PCI Memory resource **overlap** reduced 0xec000000 ...**lucky.freebsd.questions.digest** - Apr 10 2005, 8:55 pm by freebsd-questions-requ...@freebsd.org - 1 message - 1 author**freebsd-net Digest, Vol 132, Issue 4**... destine for this gateway server or the **private network**. ... traffic from non-routable reserved **address** spaces # \$cmd ... in via \$ext\_if1 #RFC 1918 private **IP** \$cmd deny ...**lucky.freebsd.net.digest** - Oct 6 2005, 2:00 pm by freebsd-net-requ...@freebsd.org - 1 message - 1 author**security overview**

... PUBLIC (or) NON-PRIVATE NETWORK ACCESS Y ... Some of the functionality of these tools

**overlap.** ... based on several criteria such as: source **ip address**, destination **ip** ...**comp.unix.wizards** - Sep 25 1992, 12:11 am by mig...@chasque.apc.org - 1 message - 1 author**63FR38883 Open Access Same-Time Information System and Standards ...**... provide their Customers the use of **private network** connections on a ... number, fax number,and e-mail **address** shall be ... each Company shall provide the **IP** host name ...**gov.us.topic.energy.utilities** - Jul 20 1998, 8:52 pm by robopos...@us.govnews.org - 4 messages - 1 author**NAT question?**... has 10.2.16.0 (but with at public **IP** for the ... One solution is to re-address your

local

DSL ... LAN addresses to a completely different **private network** that does not ...  
[cp.products.securemote](#) - May 6 2002, 10:00 am by John Chapman - 4 messages  
- 4 authors

### freebsd-questions Digest, Vol 92, Issue 67

... their own uid space, will rapidly **overlap** in the ... I have a jailed setup running with  
a private IP **address**. On > the **private network**, there is a gateway machine ...  
[lucky.freebsd.questions.digest](#) - Apr 4 2005, 3:11 am by freebsd-questions-  
requ...@freebsd.org - 1 message - 1 author

### redhat-digest Digest V98 #1577

... Assign yourself a class C **address** in the private **address** range: 127.0 ... the  
192.168.1.1-255 range is legit for **private network** use AFAIK ... It works well with  
IP ...  
[linux.redhat.digest](#) - Nov 30 1998, 1:29 pm by redhat-digest-requ...@redhat.com - 1  
message - 1 author

### Redhat-list digest, Vol 1 #1868 - 16 msgs

... redhat.com your servers with a public **address** must be ... have to see the  
gateway's eth0  
ip as their ... also have a static route to your **private network** through the ...  
[linux.redhat.digest](#) - May 31 2001, 6:00 am by redhat-list-requ...@redhat.com - 1  
message - 1 author

New! Get the latest messages on IP **address** "**private network**" **overlap** emailed to  
you with Google Alerts.



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

IP address "private network" overlap

[Google Home](#) - [Terms of Service](#) - [Privacy Policy](#)

©2006 Google

[Groups Home](#) | [Help](#) | [Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

IP address "private network" overlap

Search

[Advanced Groups Search](#)  
[Preferences](#)Members: [Sign in](#)New users: [Join](#)☒ [Groups Alerts](#)[Create a new group](#)[About Google Groups](#)**Searched all groups**Results **61 - 70** of 90 for **IP address "private network" overlap** (0.17 seconds)**Sorted by relevance** [Sort by date](#)**FlashCommerce Headlines - Daily News & Discussion of eCommerce & ...**

... **Private Network**, a software-based virtual **private network**; e-POSS ... study found, generally use several **overlapping** measures ... as well as your own **IP address**, CGI-Bin ... **alt.ecommerce** - Feb 21 2000, 9:17 pm by FlashCommerce Daily - 7 messages - 1 author

**Internet Monthly Report for January, 1997**

... none) + Implementation of Virtual **Private Network** (VPNs) with ... data formats for Internet

Registries (**IP** routing, domain ... Extension Codes 2 Cable **Address** Blocks 3 ... **info.ietf** - Apr 3 1997, 7:35 am by IMR Editor - 8 messages - 5 authors

**security-digest V5 #115**

... which are IPSEC-tunnelled from one **private network** to another ... via xxxx" where xxxx

is the **IP address** of the ... been discussed before, so sorry for the **overlap**... ..

**sol.lists.freebsd.security.digest** - Apr 16 2001, 9:01 am by owner-freebsd-security-dig...@FreeBSD.ORG - 1 message - 1 author

**the long awaited hackers dictionary**

... **VIRTUAL PRIVATE NETWORK**(VPN): technology which one can securly connect to a ... Their

vocabulary has little **overlap** with hackerdom's. ... 10.Hiding their **ip address**. ...

**alt.2600.hackers** - Nov 6 2000, 3:53 pm by shady|\_harrasment\_panda - 4 messages - 3 authors

**FW: ARSLIST Digest - 9 Dec 2001 to 10 Dec 2001 (#2001-370)**

... the HTML TABLE command and the = tabs=20 **overlap**. ... be connected to both via a **private**

**network** if possible. ... EARTHLINK.NET> Subject: Re: **Ip Address** field \*\* Robert ...

**Remedy ARS** - Nov 26 2004, 11:28 pm by Ibrahim Akar @ GMail - 1 message - 1 author

**Mail Delivery Problem**

... references that actually care about the **address** of the ... and by my employer, that a

**private network** would be ... to BSD, and perhaps implementing a TCP/IP network of ...

**comp.unix.questions** - Mar 18 1990, 9:04 pm by SMTP MAILER - 3 messages - 1 author

**freebsd-questions Digest, Vol 47, Issue 25**

... connected via wifi and they all share a **private network** (192.168.1 ... so that I'm not

using real **address** space in ... third on its way) with public, static **IP** addresses ...  
[sol.lists.freebsd.questions](#) - Feb 14 2004, 3:03 pm by freebsd-questions-requ...@freebsd.org - 1 message - 1 author

### Hacking Lexicon

... numerous techniques of creating **overlapping IP** fragments that ... example:  
192.0.2.156)  
destination **IP address** transport type ... 25 If our **private network** is 192.0.2.x ...  
[alt.hackers.malicious](#) - May 1 2000, 2:12 pm by velocity - 2 messages - 2 authors

### Linux Kernel Patch v2.1, patch-2.1.67 (08/77)

... linux/netprotocol.h> #endif - #include <linux/ip.h> #include ... 0, 0, X 0x0, 0, /\*  
I/O **address**, IRQ \*/ X 0 ... error is +/-20k on a quiet (**private**) **network** and also ...  
[de.alt.sources.linux.patches](#) - Nov 30 1997, 7:00 pm by Thomas.Koe...@ciw.uni-karlsruhe.de - 74 messages - 1 author

### Internet Monthly Report for March, 1997

... ipsec) + Implementation of Virtual **Private Network** (VPNs) with ... new-esp-00.txt> (ipsec) +  
**IP** Authentication Header ... Protocol Parameters 2 Cable **Address** Blocks 5 ...  
[info.ietf](#) - Apr 23 1997, 9:16 pm by IMR Editor - 1 message - 1 author

New! Get the latest messages on **IP address "private network" overlap** emailed to you with Google Alerts.

◀ Goooooooooooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

IP address "private network" overlap

[Google Home](#) - [Terms of Service](#) - [Privacy Policy](#)

©2006 Google

[Groups Home](#) | [Help](#) | [Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

IP address "private network" overlap

[Search](#)[Advanced Groups Search](#)  
[Preferences](#)Members: [Sign in](#)New users: [Join](#)☒ [Groups Alerts](#)[Create a new group](#)[About Google Groups](#)**Searched all groups**

Results 71 - 80 of 90 for IP address "private network" overlap (0.22 seconds)

[Sorted by relevance](#) [Sort by date](#)[Linux Kernel Patch v2.1, patch-2.1.25 \(02/22\)](#)... 20k on a quiet (**private**) **network** and X ... SW7 DMA 1 + + + I/O **address** -- choose one. ... SW8 220 / 240 + +--- IP: + Many people ...[de.alt.sources.linux.patches](#) - Feb 2 1997, 9:00 pm by Thomas.Koe...@ciw.uni-karlsruhe.de - 23 messages - 1 author[SouthChinaMorningPost\[970811-tech\]](#)... The implications are serious, as each **address** corresponds to an automatic ... eight-year-old intranet was the world's biggest **private network** using TCP/IP. ...[soc.culture.china](#) - Aug 11 1997, 10:08 pm by Chinese News - 1 message - 1 author[SouthChinaMorningPost\[970810-tech\]](#)... The implications are serious, as each **address** corresponds to an automatic ... eight-year-old intranet was the world's biggest **private network** using TCP/IP. ...[soc.culture.china](#) - Aug 10 1997, 2:04 am by Chinese News - 1 message - 1 author[SouthChinaMorningPost\[970809-tech\]](#)... The implications are serious, as each **address** corresponds to an automatic ... eight-year-old intranet was the world's biggest **private network** using TCP/IP. ...[soc.culture.china](#) - Aug 9 1997, 10:36 pm by Chinese News - 1 message - 1 author[Sphear Digital Magazine Issue #3](#)... To **address** these privacy concerns, we prohibit the reuse or ... but not limited to) aCentrex, virtual **private network**, or private ... 98":8!Y:~-6'3Z`=#X%IP\$)[3WS M ...[alt.cyberpunk](#) - May 27 1994, 2:10 am by Chris Burris - 1 message - 1 author[SouthChinaMorningPost\[970808-tech\]](#)... The implications are serious, as each **address** corresponds to an automatic ... eight-year-old intranet was the world's biggest **private network** using TCP/IP. ...[soc.culture.china](#) - Aug 8 1997, 1:07 pm by Chinese News - 1 message - 1 author[SouthChinaMorningPost\[970806-tech\]](#)... The implications are serious, as each **address** corresponds to an automatic ... eight-year-old intranet was the world's biggest **private network** using TCP/IP. ...[soc.culture.china](#) - Aug 7 1997, 12:34 am by Chinese News - 1 message - 1 author[COT4](#)... YOU> telnet to IP **address** 128.101.131.11 25 MD ... don't want your name, or **address**,or anything ... 82800603 " " 82800604 " " 82800689 UNIX **Private Network** 82800760 RSX ...[alt.2600.moderated](#) - Dec 6 1996, 4:28 am by Graham Bullers - 1 message - 1 author

10 best / 10 worst cities

... Center The setup: I have a small **private network** consisting of ... The computers are connected by ethernet running TCP/IP. ... This is only a test of my new **address**. ... rec.bicycles - May 10 1990, 1:46 am by Sverdrup - 4 messages - 3 authors

The NeXT-FAQ (Frequently asked questions)

... accessible through the internet or in your own **private network**. ... com Also, one can use an **IP** terminal server. ... and both PC Ethernet cards (and a subnet **address**). ...

muc.test - May 30 1996, 10:28 am by Bernhard Scholz - 3 messages - 1 author

New! Get the latest messages on IP address "private network" overlap emailed to you with Google Alerts.

◀ Goooooooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

IP address "private network" overlap

[Google Home](#) - [Terms of Service](#) - [Privacy Policy](#)

©2006 Google



[Groups Home](#) | [Help](#) | [Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

IP address "private network" overlap

[Search](#)[Advanced Groups Search](#)  
[Preferences](#)Members: [Sign in](#)New users: [Join](#)☒ [Groups Alerts](#)[Create a new group](#)[About Google Groups](#)**Searched all groups**Results **71 - 80** of 80 for IP address "private network" overlap (0.12 seconds)[Sorted by relevance](#) [Sort by date](#)**Linux Kernel Patch v2.1, patch-2.1.25 (02/22)**

... 20k on a quiet (private) network and X ... SW7 DMA 1 + + + I/O address -- choose one. ... SW8 220 / 240 + +--- IP: + Many people ...

**de.alt.sources.linux.patches** - Feb 2 1997, 9:00 pm by Thomas.Koe...@ciw.uni-karlsruhe.de - 23 messages - 1 author**SouthChinaMorningPost[970811-tech]**

... The implications are serious, as each address corresponds to an automatic ... eight-year-old intranet was the world's biggest private network using TCP/IP. ...

**soc.culture.china** - Aug 11 1997, 10:08 pm by Chinese News - 1 message - 1 author**SouthChinaMorningPost[970810-tech]**

... The implications are serious, as each address corresponds to an automatic ... eight-year-old intranet was the world's biggest private network using TCP/IP. ...

**soc.culture.china** - Aug 10 1997, 2:04 am by Chinese News - 1 message - 1 author**SouthChinaMorningPost[970809-tech]**

... The implications are serious, as each address corresponds to an automatic ... eight-year-old intranet was the world's biggest private network using TCP/IP. ...

**soc.culture.china** - Aug 9 1997, 10:36 pm by Chinese News - 1 message - 1 author**Sphear Digital Magazine Issue #3**

... To address these privacy concerns, we prohibit the reuse or ... but not limited to) a

Centrex, virtual private network, or private ... 98":8!Y:'-6`3Z'=#X%IP\$)[@](3WS M ...

**alt.cyberpunk** - May 27 1994, 2:10 am by Chris Burris - 1 message - 1 author**SouthChinaMorningPost[970808-tech]**

... The implications are serious, as each address corresponds to an automatic ... eight-year-old intranet was the world's biggest private network using TCP/IP. ...

**soc.culture.china** - Aug 8 1997, 1:07 pm by Chinese News - 1 message - 1 author**SouthChinaMorningPost[970806-tech]**

... The implications are serious, as each address corresponds to an automatic ... eight-year-old intranet was the world's biggest private network using TCP/IP. ...

**soc.culture.china** - Aug 7 1997, 12:34 am by Chinese News - 1 message - 1 author**COT4**

... YOU&gt; telnet to IP address 128.101.131.11 25 MD ... don't want your name, or address,

or anything ... 82800603 " " 82800604 " " 82800689 UNIX Private Network 82800760 RSX ...

**alt.2600.moderated** - Dec 6 1996, 4:28 am by Graham Bullers - 1 message - 1 author

10 best / 10 worst cities

... Center The setup: I have a small **private network** consisting of ... The computers are connected by ethernet running TCP/IP. ... This is only a test of my new **address**. ... rec.bicycles - May 10 1990, 1:46 am by Sverdrup - 4 messages - 3 authors

The NeXT-FAQ (Frequently asked questions)

... accessible through the internet or in your own **private network**. ... com Also, one can use an IP terminal server. ... and both PC Ethernet cards (and a subnet **address**). ...

muc.test - May 30 1996, 10:28 am by Bernhard Scholz - 3 messages - 1 author

*In order to show you the most relevant results, we have omitted some entries very similar to the 80 already displayed.  
If you like, you can repeat the search with the omitted results included.*

New! Get the latest messages on IP address "**private network**" overlap emailed to you with Google Alerts.



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#)

IP address "private network" overlap

[Google Home](#) - [Terms of Service](#) - [Privacy Policy](#)

©2006 Google